



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 49

CASE NO.

602P

TYPE OF ACCIDENT Car/Pedestrian Straight Path

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)


Vehicle 1 was traveling westbound in the second lane of two on a four lane divided roadway. The pedestrian was traveling northbound, and stepped off the median into the westbound traffic lane. The front of Vehicle 1 struck the pedestrian who was fatally injured.


			B. PEC	ESTRIAN PR	OFILE					
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)						
No.	Age	Sex	Mortality	Body Region	Region Ana. Struc.		Injury Source			
01	14	M	Fatal	Brain	Contusion	3	Base of Windshield			

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	C. VEHICLE PROFILE										
	Class		В	Most Severe Damage ased on Vehicle Inspection							
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description							
01	Subcompact	96/Ford/Aspire	Front	Light to moderate							

DO NOT SANITIZE THIS FORM







PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number	Ĺ	Case Nu	ımber-Stratum <u>6</u> <u>0</u> <u>2</u> <u>P</u>			
PEDESTRIAN ACCIDENT CO	LLISION DATA	COLLECTION	SCALED DIAGRAM			
document reference point and reference line relative to physical features	Surface Type	<u>Concrete</u>	* north arrow placed on diagram			
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	,	grade measurements for all applicable roadways			
a) vehicle skid marks	Coefficient of Fr	iction	 scaled representations of the physical plant including: 			
b) pedestrian contacts with ground or object	Grade (v/h) Mea		 all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) 			
c) vehicle/pedestrian point of impact (POI)	a) at impa		b) all traffic controls (e.g., lights, signs)			
d) location of pedestrian separation point from vehicle	b) between		* scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:			
b) pedestrian contacts with ground or object c) vehicle/pedestrian point of impact (POI) d) location of pedestrian separation point from vehicle f) final resting points (FRP) for pedestrian and vehicle documentation of the physical plant including: a) all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs) Reference Point: Tol. Pole Item	Pedestrian Trav		a) physical evidence, or b) reconstructed accident dynamics			
documentation of the physical plant including:	Vehicle Travel D	Direction West				
	Number of Trave	el Lanes				
pavement markings, parked vehicles, poles,						
b) all traffic controls (e.g., lights, signs)						
		Reference Line:S	cub WB Loop 12			
Item		Distance and Direction from Reference Point	Distance and Direction from Reference Line			
POI		6.4 €	0.9N			
FRP	•	2.6W).2N 1.9N			
FR.		2.6W 23.3 W	J. 9N			

Distance and Direction Distance and Direction Item from Reference Point from Reference Line

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

	PEDESTRIAN CRASH DATA STU
1. Primary Sampling Unit Number 4 9	SPECIAL STUDIES - INDICATORS
2. Case Number - Stratum 602 P	Check (🗸) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special study (SS15-SS19 below) that
IDENTIFICATION	studies and 0 for the special studies not checked.
3. Number of General Vehicle	6SS15 Administrative Use0
Forms Submitted <u>0 1</u>	7. ✓ SS16 Pedestrian Crash Data Study 1
4. Date of Accident (Month, Day, Year) 9 4	8SS17 Impact Fires0
5. Time of Accident <u>1853</u>	9SS18
Code reported military time of accident. NOTE: Midnight = 2400 Unknown = 9999	10SS190
Official Control of the Control of t	NUMBER OF EVENTS
	11. Number of Recorded Events in This Accident01

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

		PEDESTRIAN.	ACCIDENT	FEVENTS		
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0</u> <u>1</u>	13. <u>0</u> <u>1</u>	14. 0 1	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

National Highway Traffic Safety Administration

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 2. Case Number - Stratum 6 0 2 P	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
3. Pedestrian Number01	pounds X .4536 = kilograms
PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4. Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
5. Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown 6. Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7. Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknown inches X 2.54 =centimeters 8. Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
9. Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward
(06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle (14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	 (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child,
PEDESTRIAN'S ORIENTATION AT IMPACT	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward
16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up	 (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown
(5) Down (8) Other (specify): (9) Unknown	20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):	(04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify):

(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	2	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source:		Nonfatal (3) Hospitalization (4) Transported and released
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	<u>O</u>	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify):	1 <u>B</u>	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown
	·	· · · · · · · · · · · · · · · · · · ·

STOP - VARIABLES 30 THROUGH 37 AF	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify):
(00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured 33. Time to Death Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO[] UPDATE CANDIDATE?	YES[]

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

49

3. Pedestrian Number

0 1

2. Case Number - Stratum

6 OZP

4. Blank


INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90		-			Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 1	6. 8	7. <u>9</u>	8. <u>0</u> <u>2</u>	9. <u>0</u> 2	- 10. <u>/</u>	11. <u>2</u>	- 12. 70 0) 13. 2	14. 🗘	15. <u>Z</u>	16. 2	2 17
2nd	18. 🗘	19. 7	20. <u>\$</u>	21.02	22.0 2	- _{23.} <u>/</u>	24. 1	<u> 25. 7</u>	26. <u>/</u>	27/	28. 2	29	/ _{30,} /
3rd	31. <u>/</u>	32. &	33.	34. <u>3 4</u>	35. 2 2	- 36. <u>- 2</u>	37. <u>/</u>	38. 7.20	€. ر	40.[41.2	42. <u> </u>	43 <u>.</u> <u>4</u>
								51. <u>7 7 /</u>					
5th	57. <u> </u>	_{58.} _2	59. 9	60. <u>O</u> 2	61. <u>0</u> 3	2_62. <u> </u> [63. <u>2</u>	- 64. <u>7</u> 2	5 65(66. <u>/</u>	67. 2	- ₆₈ _*	69.
								77 <u>7</u>					
7th	83. <u> /</u>	84. <u>/</u>	85. <u>9</u>	86. <u>0</u> <u>4</u>	87. <u>0</u>)_ _{88.} _/	89. <u>S</u>	90. <u>7 7</u>	S 91. <u>/</u>	92. 1	93. <u> </u> 2	-94. <u>S</u>	95,2
								103. <u>7 7</u>					
								116. <mark>フ </mark>					
10th	122. 1	123. <u> </u>	124. 5	125. 02) 126. <u>0</u> <u>2</u>	_ ₁₂₇ . <u>7</u>	128. 💆	129.775	130.	131	132.	<u>کر.₁₃₃ کے</u>	134

PEDESTRIAN INJURY DATA										V .		
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS-90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th <u>/</u>	1	4	<u>6</u>	22	7		<u>77</u> \$	- 1	<u></u>	2	2	3
12th: <u>/</u>	<u>-</u>	4	06	84	3		775	<u>- l</u>	1	2_	3	<u>}</u>
13th <u> </u>	1	4	06	84	2		<u>775</u>		1	2	3_	<u>ج</u> ر
14th <u>/</u>	<u>8</u>	9	02	02			73.2	- <i>L</i>	1	<u>3</u>	5	4
15th <u>/</u>	5	<u>9</u>	02	02		<u>o</u>	<u>73</u> 2		<u>L</u>	<u>3</u>	5	4
16th												
17th	<u>-</u>									_		
18th	_							<u></u>			-	<u></u>
19th								_				
20th	<u> </u>											
21st		_										
22nd		<u> </u>										
23rd	_	<u>-</u>						_			_	
24th	<u></u>	<u></u> -						-	_			

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



SOURCE OF INJURY DATA

OFFICIAL

- (1) Autopsy records with or without hospital/ medical records
- (2) Hospital/medical records other than emergency room (e.g., discharge summary)
- Emergency room records only (including associated X-rays or other lab reports)
- (4) Private physician, walk-in or emergency

UNOFFICIAL

- (5) Lay coroner report
- (6) E.M.S. personnel
- (7) Interviewee
- (8) Other source (specify):
- (9) Police

INJURY SOURCE CONFIDENCE LEVEL

- Certain Probable
- Possible (3)
- Unknown

DIRECT/INDIRECT INJURY

- Direct contact injury
- Indirect contact injury
- Noncontact injury Injured, unknown source

STRIKING PROFILE

- Injury not from vehicle contact Flat-Narrow (<15 centimeters)
- Flat-Wide (≥ 15 centimeters)
- Rounded (contoured)
 Rounded edge
- (5)
- Sharp edge Other (specify):
- (9) Unknown

TYPE OF DAMAGE

- Injury not from vehicle contact
- No damage/contact
- (2) Scratch (Scuff, Cloth Transfer, Smear)
- (3) (4) Dent
- Large deformation
- (5) Cracked, fractured, shattered Separated from vehicle
- Noncontact injury Other specify: (8)
- Unknown (9)

DAMAGE DEPTH

- Injury not from vehicle contact
- No residual damage
- Surface only damage
- Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters
- (4)
- (5)
- Other specify:
- Unknown

PEDESTRIAN INJURY CLASSIFICATION

Body Region

- Head
- (2) Face Neck
- Thorax
- Abdomen
- Spine
- (4) (5) (6) (7) Upper Extremity
- Lower Extremity Unspecified
- (9)

Type of Anatomic Structure

- Whole Area
- Vessels
- (3) (4) Organs (includes muscles/
- ligaments) Skeletal (includes joints)
- (6) Head - LOC

Specific Anatomic Structure

Whole Area

- (02) Skin Abrasion (04) Skin Contusion
- (06) Skin Laceration (08) Skin - Avulsion
- Amputation (10)
- (20) Burn
- (30) Crush
- (40)
- Degloving Injury NFS
- (50)
- Trauma, other than mechanical

- Head LOC (02) Length of LOC (04, 06, 08) Level of Consciousness (10) Concussion

- Spine (02) Cervical (04) Thoracic
- (06) Lumbar

Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02

Level of Injury

Specific injuries are consecutive two-digit beginning with 02. assigned numbers

To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity.

- Minor injury

- Injured, unknown severity

Aspect

- (2)
- Bilateral
- Posterior
- (7) (8) Superior Inferior
- Unknown

INJURY SOURCE

- **FRONT** 700 Front bumper
- 701 Front lower valance/spoiler
- 702 Front grille
- 703 Hood edge and/or trim
- 704 Hood ornament (fixed) 705 Hood ornament (spring loaded)
- 706 Headlight
- 707 Retractable headlight door (Open/Closed)
- 708 Turn signal/parking lights 718 Other front or add on object
- (specify): 719 Unknown front object

- Left Side Components
 720 Front fender side surface
- 721 Front antenna
- 722 A1 pillar 723 A2 pillar
- 724 B pillar
- 725 C pillar
- 726 D pillar
- 728 Other pillar
- (specify):
- 729 Left side roof rail 730 Left side door surface
- 731 Left side door handle
- 732 Left side mirror fixed housing 733 Left side folding mirror
- 734 Left side glazing forward of B pillar 735 Left side glazing rearward of B pillar
- 736 Left side back fender or quarter panel
- 737 Rear antenna 738 Other left side object
- (specify):
- 739 Unknown left side component Right Side Components
- 740 Front fender side surface 741 Front antenna
- 742 A1 pillar
- 743 A2 pillar

- 744 B pillar
- 745 C pillar
- 746 D pillar
- 748 Other pillar (specify):__
- 749 Right side roof rail
- 750 Right side door surface 751 Right side door handle
- 752 Right side mirror fixed housing
- 753 Right side folding mirror
- 754 Right side glazing forward of B pillar
- 755 Right side glazing rearward of B pillar
- 756 Rear antenna
- 757 Rear fender or quarter panel
- 758 Other right side object
- (specify): 759 Unknown right side component

- Back Components 760 Rear (back) bumper
 - 761 Tailgate

(specify):

762 Hatchback, vertical surface 768 Other back component

769 Unknown back component

- Top Components
 - 770 Hood surface 771 Hood surface reinforced by under hood
- component 772 Front fender top surface
- 773 Cowl area 774 Wiper blade & mountings
- 775 Windshield glazing 776 Front header
- 777 Roof surface 778 Backlight glazing
- 779 Rear header 780 Hatchback
- 781 Rear trunk lid
- 788 Other top component (specify): ____
- 789 Unknown top component

- Wheels / tires
 - 790 Left front wheel / tire
- 791 Right front wheel / tire
- 792 Left rear wheel / tire 793 Right rear wheel /tire
- 798 Other wheel / tire (specify): ___ 799 Unknown wheel / tire

- Undercarriage components 800 Front crossmember
- 801 Steering assembly/Front suspension
- 802 Oil pan
- 803 Exhaust system pipe
- 804 Transmission
- 805 Drive shaft 806 Catalytic converter
- 807 Muffler
- 808 Floor pan 809 Fuel tank
- 810 Rear suspension

819 Unknown undercarriage component

- 818 Other undercarriage component (specify):
- **Accessories**
 - 820 Air scoop, deflector 821 Cellular or CB radio antenna
- 822 Emergency lights or bar 823 Fog lights
- 824 Luggage, ski, or bike rack 825 Cargo (specify):_____
- 826 Spare tire 827 Spotlight
- 828 Other accessory (specify):_
- Other Object or Vehicle in Environment
 - 947 Ground 948 Other object (specify):
- 949 Unknown object in environment
- 959 Unknown object on contacting vehicle
- 997 Noncontact injury source
- 999 Unknown injury source


- Crush depth > 5 to 10 centimeters

Abbreviated Injury Scale

- Moderate injury Serious injury
- Severe injury Critical injury (4) (5)
- Maximum (untreatable)

- Right Left
- (4) (5) Central Anterior
- Whole region

OFFICIAL INJURY DATA -INTERNAL INJURIES



PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number	OFFICIAL RECORDS
2. Case Number - Stratum 6 02 P	9. Police Reported Travel Speed 9 9 9
3. Vehicle Number 0 1 VEHICLE IDENTIFICATION	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown 5. Vehicle Make (specify): FORD	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph (999) Unknown \$ O mph X 1.6093 = \$\infty 80 \text{ kmph}
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (99) Unknown 6. Vehicle Model (specify):	11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual. (999) Unknown 7. Body Type Note: Applicable codes may be found on the back of this page.	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number KNJLT 0586V6 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines	Source: 13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown bs x .4536 =, kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
Source: 16. Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 =, kgs	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
	1
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	\sim 1
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(O3) Braking (lockup)
(17) Crossing over (passing through) intersection	(O4) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
- · · · · · · · · · · · · · · · · · · ·	(10) Accelerating
(52) Traveling in same direction with higher speed	
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	25. Precrash Stability After Avoidance Maneuver
Other Motor Vehicle Encroaching Into Lane	(0) No driver present
(60) From adjacent lane (same direction) - over left	(1) No avoidance maneuver
lane line	(2) Tracking
(61) From adjacent lane (same direction)—over right	(3) Skidding longitudinally—rotation less than 30
lane line	degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	,-, ,-
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	1
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian – unknown location	(6) Avoidance maneuver initiated off roadway
(02) Fedestilan—unknown location	(9) Directional consequences unknown

	ENVIRO	NME	ENTAL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	0	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28.	 (6) Unknown type of non-interchange (9) Unknown if interchange Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with 	2	34. Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing) Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign
29.	 (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown Number of Travel Lanes (1) One 	2	 (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify):
	 (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 		(9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	1	36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown		(9) Unknown 37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify):		 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

19-002 96 Aspire 36405

POI to J=RP = 31m = 102 ft f = 0.60

13 / 0 m

PRT = 055.0

 $102 = 0.5V + \frac{V^2}{2(0.6)(82.2)}$

0.05 V2 to, 5 V -102 = 0.

V= -0.5- + Mo.05-2 + (4 × 0.05-)(-102)

V=39,8 fps = 27mph = 43,6 Kph

44KBh

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

Primary	Sampling	Unit	Number
rilliary	Samping	OHIL	number

3. Vehicle Number

2. Case Number - Stratum

6 0 Z

VEHICLE IDENTIFICATION

VIN KNJLT 0586V6

Vehicle Make (specify):

ORD

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

Well	elle	1	
		03	

cm

cm

NOTE: VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

cm

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm

VEHICLE DAMAGE SKETCH J-Braken Mirror Bracket E-swipe on Allor Cover Ment/ws Breakege - Gi Dent Lif Forder - 4- color Transfer - Fi Dent 2 ENDSUA H-Bumphismier Color Transfer To color Transfer F Color Transfer

NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).


Location of the origin (intercept point of the centerline and the front axles) from the ground: 132 cm

PEDESTRIAN SIDE CONTACT WORK SHEET PEV06 Hood Material PEV08 Hood Length cm PEV09 Hood Width-Forward Opening cm PEV10 Hood Width-Midway PEV11 Hood Width-Rear Opening cm **VERTICAL MEASUREMENTS** PEV26 Ground Clearance cm PEV27 Side Bumper-Bottom Height cm PEV28 Side Bumper-Top Height cm PEV29 Centerline of Wheel PEV30 Top of Tire cm PEV31 Top of Wheel Well Opening cm PEV32 Bottom of A-Pillar at Windshield PEV33 Top of A-Pillar at Windshield cm PEV34 Top of Side View Mirror cm LATERAL MEASUREMENTS PEV35 C_L to A-Pillar at Bottom of Windshield cm PEV36 C_L to A-Pillar at Top of Windshield PEV37 C_L to Maximum Side View Mirror Protrusion cm **WRAP DISTANCES** PEV38 Ground to Side/Top Transition cm PEV39 Ground to Hood Edge cm PEV40 Ground to Centerline of Hood (ORIGIN) cm PEV41 Ground to Head Contact cm

	Wheelbase	907	inches	x 2.54	=		
	Overall Length	152.8	inches	x 2.54	=		
	Maximum Width	65.7	inches	x 2.54	=	167 cm	
	Curb Weight	2004	pounds	x .4536	; =	909 kg	
	Average Track	55.5	inches	x 2.54	=	1 41 cm	
	Front Overhang		inches		=	Cm	
	Rear Overhang	·	inches	x 2.54	=	Cm	
	Undeformed End Width		inches	x 2.54	=		
	Engine Size: cyl./displ.		СС	x .001	=	<u> </u>	
				x .0164	=		
						<u> </u>	
702 Fr 703 H 704 H 705 H 706 H 707 R 708 T 718 O (s 719 U	ont lower valance/spoiler ont grille ood edge and/or trim ood ornament (fixed) ood ornament (spring loaded) eadlight etractable headlight door (Open/Closed) urn signal/parking lights ther front or add on object pecify):	745 C pillar 746 D pillar 748 Other pillar (specify): 749 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side mirror fixed h 753 Right side folding mirror 754 Right side glazing forwa 755 Right side glazing rearw 756 Rear antenna 757 Rear fender or quarter p 758 Other right side object (specify): 759 Unknown right side con	r ard of B pillar vard of B pillar vanel	75 75 75 75 <u>Under</u> 80 80 80 80 80	ercarriage com 00 Front cross 01 Steering as 02 Oil pan 03 Exhaust sy 04 Transmissio 05 Drive shaft	heel / tire wheel / tire el / tire (specify): wheel / tire sponents member sembly/Front suspension stem pipe	_
723 A 724 B 725 C	2 pillar pillar pillar pillar	Back Components 760 Rear (back) bumper 761 Tailgate		80 80 81		onverter nsion rcarriage component	
723 A 724 B 725 C 726 D 728 O (s 729 Le	2 pillar pillar pillar pillar	760 Rear (back) bumper	ace	80 80 81 81 81 81	07 Muffler 08 Floor pan 09 Fuel tank 10 Rear suspe 18 Other unde (specify): _ 19 Unknown u	onverter nsion rcarriage component Indercarriage component	_
723 A 724 B 725 C 726 D 728 O 729 Le 730 Le 731 Le 732 Le 733 Le 735 Le 737 Re	2 pillar pillar pillar pillar pillar pillar ther pillar pecify): fit side roof rail off side door surface off side door handle off side mirror fixed housing off side glazing forward of B pillar off side glazing rearward of B pillar off side back fender or quarter panel	760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surf 768 Other back component (specify): 769 Unknown back component 769 Unknown back component 770 Hood surface 771 Hood surface reinforced component 772 Front fender top surface 773 Cowl area 774 Wiper blade & mounting	ent I by under hood	80 80 81 81 81 82 82 82 82 82 82 82 82	77 Muffler 78 Floor pan 79 Fuel tank 70 Rear suspen 78 Other unde 79 (specify): 79 Unknown under 79 Air scoop, 79 70 Air scoop, 79 71 Cellular or 70 72 Emergency 73 Fog lights 74 Luggage, 81 75 Cargo (specify) 75 Cargo (specify) 76 Spare tire 77 Spotlight	nsion rcarriage component indercarriage component deflector CB radio antenna lights or bar ki, or bike rack cify):	_
723 A 724 B 725 C 726 D 728 O (s (s 729 Le 730 Le 733 Le 733 Le 733 Le 734 Le 735 Le 737 R 737 R 738 O (s 739 U 739 U 740 F 741 F 741 F	2 pillar pillar pillar pillar pillar pillar pillar ther pillar pecify): fit side roof rail fit side door surface fit side door handle fit side mirror fixed housing fit side folding mirror fit side glazing forward of B pillar fit side glazing rearward of B pillar fit side back fender or quarter panel	760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surf 768 Other back component (specify): 769 Unknown back component Top Components 770 Hood surface 771 Hood surface reinforced component 772 Front fender top surface 773 Cowl area	ent I by under hood	80 80 81 81 81 82 82 82 82 82 82 82 82 82 94 94	27 Muffler 28 Floor pan 29 Fuel tank 20 Rear suspen 20 Other unde 21 (specify):	nsion rcarriage component indercarriage component deflector CB radio antenna lights or bar ki, or bike rack	

ORIGINAL SPECIFICATIONS

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ___

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET							
			PEDESI	KIAN SUNTA	UI WURKSH	Etl		
CONTACT ID Label	COMPONENT Contacted	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)	SEQUENCE #
2	Spoiler	1.19	-12	8	Foot	Suipe of Art Ast	1 (2) 3 9	
0	Sport	119	-34	0	$\int_{\mathcal{O}} dx$	1/11/11	12)34	
C	Spoiler	116	-48	0	Fost	11 (1 (1 1)	1 2 3 9	
F	Spoiler	105	76 Z	0	Fost/Ande	(dor Transfer	D 2 3 9	
H	Burger	93	-39	0	leg	Dirt/Oust swipe	1 2 3 9	
G	bruft	95	-61	0	Leq	Color Fransfer	D2 3 9	
5	Brule	85	- 68	0	leg	11 11	1 2 3 9	
3	Hood	6	-77	0	7.	Becuff	9 233	
2	Houl	77	-30	0	7.	E sc-ff	1 2 3 9	
	Hood	46	-42	3	?	Dent) 2 3 8	
FL	Hood	62	-58	2	? (Ero	Port	9 2 3 9	
G,	(FFender	33	-7 Z	_ 4-7	Lean	Dent.	<u></u>	
4	Hood	52	-62	.0	Len	Color Transkr	1 2 3 9	
Α	Waltine	-35	- 66	ン	dlw?	Dent	A 2 3 9	
7	Millix Barbert	-52	- 7 4	O	j	Broken on t	D2 3 9	
٤	Wan (M	- 67	<i>-96</i>	0	7	Likely Contact	1200	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
						·	1 2 3 9	
							1 2 3 9	
						·	1 2 3 9	

POINTS	0F	PEDE	STR	IAN	CONT	ACT	
	********	**************	to the same of the				Į

					RIAN CONTACT DER OF CONTACTS		
CONTACT	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (<i>Circle</i>)
1 #	100	93	-39	0	L, knee	Dustswipe	1 ② 3 9
26'	7)0	37	-72	4.7	R. L. Loy	Lorse dest	02.19
3	. ,	u	ı	U	R-TIBIO EX		1 2 3 9
·A	171	-35	-66	2	L. PLacera	i det	0233
5 A	775	~ (U	cı	L. Feet.	UIS	2 3 9
6 4	И	ų	VI.	e _j	L. Foreless	(,	0233
'A	l t	U	10	U	L. Scelp confish	٠,	2 3 9
1 A	771	١,	•-	ų	Moxillery R.A.	Fy	O 2.3.9
9	775				Frall F	Co	3 9
10	- /	t.	1.	e	Box Et	4 <i>(</i>)	⊘ 2.23
11			d) \$10	fel pol	HEREBARDARES EXPERSES - CONTRACTOR OF THE PARTY OF THE PA	-hsis-	(1) 2 3 9
12	975		_	(2)	scheroch	orrhese	D2 23
13	775	(,		P	1	9	2 3 9
14 1	772	-52	224	• •	about	-	Q^{iji}
15	クアン	-52			abjesti		1)2 3 9
16 17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20 21						·	1 2 3 9
22							1 2 3 5
23 24							1 2 3 9 1 2 3 8
25							1 2 3 9

VEHICLE DIMENSIONS	11. Hood Width Rear Opening
220	11. Hood Width Rear Opening 1. Solution 1. Note to the
4. Original Wheelbase 7 3 0	nearest centimeter
Code to the	(210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	,
inches V 2 E4 — continuetors	inches X 2.54 = centimeters
inches X 2.54 = centimeters	
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian 3
nearest centimeter	(0) Not damaged(1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
	(4) Severe crush (>7 centimeters)
centimeters	(8) Damage present, unknown if damage is from
•	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	10 Windshield Comand Description
(2) Fiberglass	13. Windshield Contact Damage From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel (8) Other (specify):	(2) Contacted by pedestrian - damaged
(8) Other (specify): 70((12)	(3) Unknown if contacted by pedestrian - not
(9) Unknown	damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	
(1) OEM factory installed hood (2) OEM replacement	unknown if damaged
(2) OEM replacement(3) Non-OEM replacement	unknown if damaged
(2) OEM replacement	
(2) OEM replacement(3) Non-OEM replacement(9) Unknown	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length	rront Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeter 9. Hood Width Forward Opening	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify):
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	### TRONT CONTACT DAMAGE Front Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	### TRONT CONTACT DAMAGE Front Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	### TRONT CONTACT DAMAGE Front Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	### TRONT CONTACT DAMAGE Front Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the	### TRONT CONTACT DAMAGE Front Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown Code to the nearest centimeter (210) 210 centimeters or more	### PRONT CONTACT DAMAGE Front Vertical Measurements
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters (210) 210 centimeters or more (999) Unknown Code to the nearest centimeter (210) 210 centimeters or more	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
(2) OEM replacement (3) Non-OEM replacement (9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 =	FRONT CONTACT DAMAGE Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact

	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters Forward Hood Opening Code to the nearest centimeter (000) No front contact	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters 24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact
19.	(200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	(500) No Hoff Contact (500) 500 centimeters or more (999) Unknown inches X 2.54 = centimeters 25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
	inches X 2.54 = centimeters	centimeters
	Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
	11011 Triup Distured Higgstightents	
	·	Side Vertical Measurements
20.	Ground to Forward Hood Opening Code to the centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Ground to Front/Top Transition Point 76 Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeters	27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters	28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters

29.	Centerline of Wheel	99	Side Lateral Measurem	ents
	Code to the			
	nearest centimeter	000	25 Controlling to A Bill	G 9 a
	(000) No side contact	\mathcal{O}^{G}	35. Centerline to A-Pillar	
	(150) 150 centimeters or more		at Bottom of Windshield	
	(999) Unknown		(000) No side contact	OOO
			Code to the	000
	inches X 2.54 =	centimeters	nearest centimeter	
			(250) 250 centimeters or more	
		a	(999) Unknown	
30.	Top of Tire	444		
	Code to the		inches X 2.54 =	centimeters
	nearest centimeter	\mathcal{O}		
	(000) No side contact	\bigcirc 0		(999
	(200) 200 centimeters or more		36. Centerline to A-Pillar	
	(999) Unknown		at Top of Windshield	
			Code to the	(1)
	inches X 2.54 =	centimeters	nearest centimeter	
		_ ~~~	(000) No side contact	
		6000	(250) 250 centimeters or more	
31.	Top of Wheel Well Opening	799	(999) Unknown	_
	Code to the			\bigcirc
	nearest centimeter		inches X 2.54 =	cektimeter
	(000) No side contact		·	
	(250) 250 centimeters or more		37. Centerline to Maximum Side	999
	(999) Unknown		View Mirror Protrusion	
			Code to the	
	inches X 2.54 =	centimeters	nearest centimeter	
	.	01 10 10	(000) No side contact	
32.	Bottom of A-Pillar at Windshield	<u> </u>	(300) 300 centimeters or more	
	Code to the	~ ~ ^	(999) Unknown	
	nearest centimeter	CGG	,,	
	(000) No side contact (250) 250 centimeters or more		inches X 2.54 =	centimeter
	(999) Unknown			•
	(333) CHRIOWH		400 000 000 000	
	inches X 2.54 =	centimeters	Side Wrap Distance Measu	rements
	•	a c	38. Ground to Side/Top Transition	999
33.	Top of A-Pillar at Windshield	997	Code to the	
	Code to the		nearest centimeter	\bigcirc
	nearest centimeter	000	(000) No side contact	000
	(000) No side contact	000	(400) 400 centimeters or more	
	(300) 300 centimeters or more		(999) Unknown	
	(999) Unknown			
			inches X 2.54 =	centimeters
	inches X 2.54 =			
		, DD0		16.66
24	Ton of Cide View Misses	9-9-9	39. Ground to Hood Edge	497
34.	Top of Side View Mirror		Code to the	
	Code to the		nearest centimeter	\bigcirc
	nearest centimeter		(000) No side contact	
	(000) No side contact		(500) 500 centimeters or more	
	(300) 300 centimeters or more (999) Unknown		(999) Unknown	
	(333) OHKHOWH			
	inches X 2.54 =	centimeters	inches X 2.54 =	centimeters

40.	(000) (700)	d to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more Unknown	999 ODO		
		inches X 2.54 =	centimeters		
41.	Groun	d to Head Contact Code to the	999		
		nearest centimeter No side contact 800 centimeters or more	000		
	(998)	No head contact Unknown	•		
		inches X 2.54 =	centimeters		
				·	
			,		
				·	